


# CERTIFICATE OF ANALYSIS No.: 2021-5335

## CLIENT

CanX CBD S.R.L, Str. Azurului, Sat Balciu, Comuna  
Miroslava, Iasi  
Romania





## SAMPLE

OVVA CBD OIL 15%

Sample condition: SUITABLE  
Sample ID: 2128058  
Sample type: Viscous liquid  
Batch No.: 053 L 15

Work order: 2021-105372  
Analysis ID: 2021\_164  
Method ID: PHL\_RPC\_12C  
Method SOP: MET-002

Sample received: 16/07/2021  
Start of analysis: 16/07/2021  
End of analysis: 19/07/2021  
Analyst: Janez Gerdenc

CANNABINOID PROFILE	Concentration [% w/w]	Expanded uncertainty [% w/w]	Graphic presentation of relative cannabinoid concentration
<b>CBDV</b> - Cannabidivarin	0.0308	0.0071	
<b>CBDA</b> - Cannabidiolic acid	< LOQ	n/a	
<b>CBGA</b> - Cannabigerolic acid	< LOQ	n/a	
<b>CBG</b> - Cannabigerol	0.285	0.071	
<b>CBD</b> - Cannabidiol	15.05	0.75	
<b>THCV</b> - Tetrahydrocannabivarin	< LOQ	n/a	
<b>CBN</b> - Cannabinol	< LOQ	n/a	
<b>CBC</b> - Cannabichromene	< LOQ	n/a	
<b>THC</b> - Δ-9-Tetrahydrocannabinol	< LOQ	n/a	
<b>THCA</b> - Δ-9-Tetrahydrocannabinolic acid	< LOQ	n/a	
<b>8-THC</b> - Δ-8-Tetrahydrocannabinol *	< LOQ	n/a	
<b>CBL</b> - Cannabicyclol *	< LOQ	n/a	

The results marked by \* relate to non-accredited activity.

Units and abbreviations: % w/w = weight percent, < LOQ = below the limit of quantitation (0.03 % w/w), ND = not detected, n/a = not available.


The results given herein apply only to the sample as received. Expanded Uncertainty was calculated using coverage factor k = 2, corresponding to a double standard uncertainty and characterizes the interval value in which it is possible to expect the real value with a probability of 95%. This is stated according to the ISO/IEC Guide 98-3.

Total or partial reproduction of this document is not allowed without the permit from PharmaHemp d.o.o. The document does not substitute any other legal document.

Date issued:


20/07/2021

Approved by:



mag. Marko Dragan  
Analytical Laboratory Manager

Authorized by:



dr. Boštjan Jančar  
Chief Technology Officer

End of Certificate